


How high can you go? Climb every mountain with our Spider net range. Available in different sizes and colours.

| Ref  | A x B       |  |  |  |
|------|-------------|---|---|---|
| JR02 | 7780x7780   | 60.50m <sup>2</sup>   | 0.44m   | 6   |
| JR04 | 9500x9500   | 90.25m <sup>2</sup>   | 0.62m   | 17  |
| JR06 | 12240x12240 | 150m <sup>2</sup>   | 0.70m   | 36  |
| JR08 | 13021x13021 | 170m <sup>2</sup>   | 1.25m   | 40  |



## Materials:

**Structure, Metal:** The pole is made of AISI304L stainless steel of Ø127x3mm and are the center of the fundamental structure of the three-dimensional nets. Its function is to equalize the oscillations of the network and support high loads coming from the different axes. Foundation anchors made of hot-dip galvanized steel grade 43A according to EN1461.

**Nets, Anti-vandal reinforced rope:** net ropes especially designed for this product. They consist of a fiber or steel core surrounded by 6 twisted steel cables covered in polyamide. Diameters of the ropes are selected according to weight and equipment tension. Moreover, they provide high resistance to UV rays and corrosion. Connectors made of nylon, which fit perfectly into the net diameter and prevent it from moving.

**Fixings:** electro galvanised and stainless steel quality 8.8 DIN267, AISI-304.

- None of the materials requires a specific treatment for its disposal.
- If the product is subject to severe use, maintenance should be increased.
- Don't use the product before the installation/maintenance is ready.
- Please check the maintenance instructions.

Biggest part (mm): 4000x150x150 / Heaviest part (kg): 30

**IMPACT ZONE:** security area and ground coverings according to the EN1176-1:2017 standard.


Spare parts availability: 10 years.

Ground anchoring screws not included.

## Playful features:



## Alternatives:



[JR06](#)

Projects:



17



18



19



20



21



22



23



25

The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.