BENITO
–Site Furnishing

Bench

# Delta XXI

UM363W

**Delta XXI**
UM363WS

The Delta XXI Bench stands out from other benches in the street furniture range for its remarkable toughness.
Bench with ductile iron legs treated with Ferrus, a protective process that guarantees high corrosion resistal




| Ref. | A | B | H | H1 |
|---|---|---|---|---|
| UM363W | 1700 | 685 | 835 | 455 |
| UM363WS | 650 | 685 | 835 | 455 |
| UM363WL | 3000 | 685 | 835 | 455 |

Maintenance guide | Project sheet | CAD | Certificate | Catalogue | 3D | Mounting instructions | BIM | HD image

The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

BENITO NOVATILU

info@benito.com
tel. 93 852 1000

The Ferrus treatment consists of three layers applied after shot cleaning all impurities: an electrolytic bath, an epoxy coating and a martele grey polyester paint coating.
Three 190 x 40 mm tropical wood boards and one 130 x 40 mm board treated with Lignus, a fungicide, insecticide and waterproof agent. Natural colour finish.
Stainless steel screws.
Recommended anchoring: by means of M10 expansion bolts depending on the surface and the project.

**Available in:**

FSC certified tropical wood.

The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.