BENITO

Benito worldwide

Some of the projects we have done



The Plaza de l'Estació del Nord in Sabadell is illuminated with its elegant Essentials columns and Milan RGB+W projectors. Functionality and design come together to enhance the urban landscape.

Barcelona



Milan RGB floodlights for the outdoor lighting of the Cinglera del Capelló of Capellades with the aim of optimising and improving the energy resources and promote the area's natural and cultural heritage.

Capellades (Spain)

The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

info@benito.com
tel. 93 852 1000

BENITO
–Street Lighting

Barcelona

The Plaza de l'Estació del Nord in Sabadell is illuminated with its elegant Essentials columns and Milan RGB+W projectors. Functionality and design come together to enhance the urban landscape.



Milan M RGBW
APMR



V. | The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

info@benito.com
tel. 93 852 1000







V. | The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

BENITO
–Street Lighting

Capellades (Spain)

Milan RGB floodlights for the outdoor lighting of the Cinglera del Capelló of Capellades with the aim of optimising and improving the energy resources and promote the area's natural and cultural heritage.



Milan M RGBW
APMR



Capellades has carried out actions to improve the energy efficiency and security conditions at the Cinglera del Capelló.
Lighting has been adapted to energy efficiency and sustainability parameters, following the recommendations of an energy study carried out by the Barcelona Provincial Council.

BENITO NOVATILU's MILAN RGB floodlights were chosen for this project thanks to their high performance: high efficacy (up to 140 lm/W), double compartment, 4 groups of RGBW LEDs, independent dimming control for each colour through DMX-512 protocol and high resistance to 5G vibrations.

V. | The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

info@benito.com
tel. 93 852 1000















V. | The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.