Benito worldwide

Some of the projects we have done

Installation of a concrete Petrus bollard in front of a pharmacy in the city of Salses le Chateau, France, along with a Tor trash can made of wood and corten steel.

Occitanie (France)

V. | The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

info@benito.com
tel. 93 852 1000

BENITO
–Site Furnishing

Occitanie (France)

Installation of a concrete Petrus bollard in front of a pharmacy in the city of Salses le Chateau, France, along with a Tor trash can made of wood and corten steel.

In Salses le Chateau, France, the Petrus bollard has been installed at the entrance of a pharmacy for security purposes. This bollard is made of prefabricated reinforced concrete with a fine stripped finish and is designed to permanently prevent vehicle access, thus ensuring the safety of the area.
Its top finish, crowned with a brushed stainless steel plate, adds a touch of elegance and durability to the structure. Additionally, this bollard offers an optional feature that distinguishes it even further: a LED light crown. With its red/green LED crown, this traffic light function ensures maximum visibility at any time of day or night.
Next to the bollard is the Tor litter bin, made of wood and corten steel, which perfectly complements the style and elegance of the surroundings. This litter bin not only serves a practical function by providing a place to dispose of waste in an orderly manner but also adds a design element that harmonizes with the overall aesthetic of the location.
With the installation of the Petrus bollard and the Tor litter bin, BENITO once again demonstrates its commitment to quality and exceptional design in BENITO's urban furniture.

V. | The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.

info@benito.com
tel. 93 852 1000

V. | The constant improvement and evolution of our products may result in some modifications of the technical specifications and characteristics of the products without prior notice.