

BENITO

-Playground Equipment



Project

PROJ-002-2022

Surface: 1000 m²

Email: info@benito.com

Telephone: +34 93 852 1000

BENITO
-Playground Equipment










BENITO
-Playground Equipment



BENITO
-Playground Equipment



Product	Description
<p>JALU01</p> 	<p>Alu 1 The ALU collection maximises playability. Including lots of slides, bridges and dynamic elements, the ALU line encourages children to play, even those with disabilities. Its bright colours don't go unnoticed and the quality of materials guarantee high durability.</p> <p>Data Sheet JALU01 Acreditative Letter Certificate Conformity</p>
<p>JALU02</p> 	<p>Alu 2 The ALU collection maximises playability. Including lots of slides, bridges and dynamic elements, the ALU line encourages children to play, even those with disabilities. Its bright colours don't go unnoticed and the quality of materials guarantee high durability.</p> <p>Data Sheet JALU02 Certificate Conformity Acreditative Letter</p>
<p>JALU06</p> 	<p>Alu 6 The ALU collection maximises playability. Including lots of slides, bridges and dynamic elements, the ALU line encourages children to play, even those with disabilities. Its bright colours don't go unnoticed and the quality of materials guarantee high durability.</p> <p>Data Sheet JALU06 Certificate Conformity Acreditative Letter</p>
<p>JALU07</p> 	<p>Alu 7 The ALU collection maximises playability. Including lots of slides, bridges and dynamic elements, the ALU line encourages children to play, even those with disabilities. Its bright colours don't go unnoticed and the quality of materials guarantee high durability.</p> <p>Data Sheet JALU07 Certificate Conformity Acreditative Letter</p>
<p>JCC</p> 	<p>Caucho Continuo High-quality, non-slip, non-toxic, and eco-friendly rubber, RECYCLED AND RECYCLABLE. Our continuous rubber flooring is manufactured using high-quality materials in accordance with current European safety standard EN-1177.</p> <p>Data Sheet JCC</p>
<p>JCF21</p> 	<p>Modus XXL The Modus collection includes large structures at a very competitive price. Made of powder painted metal posts and UV-resistant rotomoulding parts, which hardly deteriorate over time.</p> <p>Data Sheet JCF21 Certificate</p>
<p>JFS10</p> 	<p>Rider Fun and educative see-saw for children. Made of resistant materials according to the EN1176 standard.</p> <p>Data Sheet Certificate Certificate Conformity</p>

Product	Description
<p>JKSP02000</p> 	<p>Curvo Cradle Swings for children made of different materials such as wood and steel. Resistant to abrasion, corrosion and bad weather conditions.</p> <p>Data Sheet Certificate Certificate Conformity</p>
<p>JKSP20000</p> 	<p>Curvo Swings for children made of different materials such as wood and steel. Resistant to abrasion, corrosion and bad weather conditions.</p> <p>Data Sheet JKSP20000 Certificate Certificate Conformity</p>
<p>JT07</p> 	<p>Dera Slope Slides are an ideal option for transforming natural slopes into fun and safe play areas. Thanks to their terrain-adapted design, they allow for maximum use of every area. They are made of high-quality materials such as high-density polyethylene (HDPE), stainless steel, and galvanized steel, ensuring high resistance to intensive use, weathering, and chemical agents. Their installation on slopes facilitates aesthetic and functional integration into parks, gardens, and recreational areas, making them a durable, attractive, and safe option for children's play.</p> <p>Data Sheet JT07</p>
<p>VVP034</p> 	<p>METALICA DE COLORES The Fence is composed of modular sections measuring 2,100 mm long and 1,200 mm high, constructed of iron with a tubular perimeter frame and interior vertical bars in alternating colors. All metal elements are treated with FERRUS, an anti-corrosion treatment using galvanization and subsequent thermosetting powder coating, ensuring strength and durability against the elements. The design is intended to delimit children's play areas, ensuring structural robustness and safe use. The construction and features comply with the requirements established in the UNE-EN 1176 standard for playground equipment and areas, ensuring regulatory compliance and safety for installation in public spaces.</p> <p>Recommended anchoring: Recessed base +/- 300mm.</p> <p>Data Sheet VVP034 Certificate</p>