

BENITO

–Playground Equipment



Project

PROJ-010-2023

Surface: 81 m²

Email: info@benito.com

Telephone: +34 93 852 1000


BENITO
-Playground Equipment








BENITO
-Playground Equipment



BENITO
-Playground Equipment



Product	Description
<p>JFS18</p> 	<p>Foca Fun and educative spring swing for children. Made of resistant materials according to the EN1176 standard.</p> <p>Data Sheet Certificate</p>
<p>JL1520000</p> 	<p>MADERA 2 Flat Swings for children made of different materials such as wood and steel. Resistant to abrasion, corrosion and bad weather conditions.</p> <p>Data Sheet Certificate Certificate Conformity</p>
<p>JSA006N</p> 	<p>Climber BENITO's healthy elements allow older people and adults to practice sports in both public and private spaces, allowing people to increase their well-being and quality of life, promoting health and social relationships.</p> <ul style="list-style-type: none"> - Health functions , cardiovascular and respiratory improvement, muscle strengthening, agility, flexibility and coordination of movements. - Social functions , creation of leisure activities, promoting social integration, and greater recreational use of public spaces. <p>Data Sheet Certificate</p>
<p>JSA018N</p> 	<p>Bicycle BENITO's healthy elements allow older people and adults to practice sports in both public and private spaces, allowing people to increase their well-being and quality of life, promoting health and social relationships.</p> <ul style="list-style-type: none"> - Health functions , cardiovascular and respiratory improvement, muscle strengthening, agility, flexibility and coordination of movements. - Social functions , creation of leisure activities, promoting social integration, and greater recreational use of public spaces. <p>Data Sheet Certificate</p>
<p>JT05</p> 	<p>Fast Panels, HDPE: high-density polyethylene characterised by its resistance to chemical abrasives. As a polymer, it is unaffected by corrosion. Due to its light elastic nature, it offers high resistance to impact, making it very difficult to break.</p> <p>Data Sheet Certificate</p>