



JTEM66
Only
EL LEON



Producto
Certificado



Controlled
logging




Hard
wood

Regulations and certifications:



He's a big lion and a much-loved attraction. He's very popular with regular visitors—and if it's your first time, you'll definitely want to meet him when you see him in his more playful guise in the children's play area. The fierce lion hides in the tall grass, keeping a watchful eye on everything that moves. Perhaps he's just resting... or maybe he's waiting for his next meal. But if you're quiet enough, he might not even notice you creeping up his sides and walking on his back like a tiny ant.



Ref.	A	H
JTEM66	8000	3000

BENITO

info@benito.com
tel. 93 852 1000



Materials & Finishes:

Wooden structure:

Main structure manufactured from **Robinia wood** and/or laminated **Duraply board**, sourced from sustainable forest management. Robinia wood is characterized by its high strength and natural durability, making it suitable for outdoor use and ground contact. As a living material, small cracks may occur; these do not affect the structural integrity or service life of the product.

Cladding and finishes:

External cladding made of **FSC-certified Siberian larch** and/or **Tali wood**, depending on the design. Surface treatment with **water-based wood protection**, resistant to weathering and UV radiation.

Metal components:

Structural and auxiliary components made of **hot-dip galvanized steel** and/or **stainless steel AISI-304**, offering high resistance to corrosion.

Nets and ropes:

Vandal-resistant ropes with a **braided steel core** and **polypropylene covering**, highly resistant to wear and tensile loads.

Fasteners:

Fasteners made of **galvanized steel and stainless steel**, strength class 8.8, in accordance with DIN/ISO standards.

- None of the materials require special treatment for disposal.

If the equipment is subject to intensive use, the maintenance plan must be increased.

Do not use the product before installation/maintenance has been fully completed.

Refer to the maintenance instructions.

Largest part (mm): / Heaviest part (kg):

IMPACT AREA: Required safety surface. Ground surfacing is recommended in accordance with **EN1176-1:2017**.

Spare parts availability: 10 years.



