




UM358A
Bench
Vermut


By Estudio Fàbric © © BENITO



Regulations and certifications:



VERMUT designer Bench , overall dimensions (length x height x depth): 78.74x34.84x24.41". This outdoor Bench features clean lines and balanced proportions, designed to integrate seamlessly into contemporary urban and landscape projects. It is crafted from autoclave-treated pine slats with a protective, pigmented mahogany finish that enhances the natural grain and adds warmth to the overall design. The structure consists of iron side supports with an aluminum-colored surface finish. These precisely shaped supports feature a high-strength finish, ensuring structural stability, weather resistance, and low maintenance. It is designed for anchoring with M10 expansion bolts, depending on the surface and project requirements.



Ref.	A	B	H	H1
UM358A	78.74"	24.41"	34.84"	17.72"
UM358SA	30.71"	24.41"	34.84"	17.72"



BENITO

info@benito.com
tel. 93 852 1000



Materials & Finishes:

Laminated pine wood class GL24, treated in autoclave with risk factor IV using TANALITH E preservative, free from heavy metal traces. According to the European standard EN351/EN335 on risk factors, class IV applies to wooden posts in direct contact with the ground. Under climatic conditions, the treated wood develops a warm honey-brown colour that naturally weathers into a silver-grey shade. When exposed to variable weather conditions, laminated pine wood may show small surface cracks that do not reduce its durability. Resin and knots are part of its natural appearance.

Steel with FERRUS treatment: an iron protection process that ensures optimal corrosion resistance. The Ferrus treatment consists of three layers applied after cleaning all dirt and impurities using shot blasting, and it involves an electrolytic bath followed by an epoxy primer and a final coating of polyester powder paint.

Downloads: [Project sheet](#) | [CAD](#) | [Mounting instructions](#) |



BENITO

info@benito.com
tel. 93 852 1000