

BENITO

-Playground Equipment



Project

PROJ-017-2022

Surface: 300 m²

Email: info@benito.com

Telephone: +34 93 852 1000

BENITO
-Playground Equipment



BENITO
-Playground Equipment










BENITO
-Playground Equipment



BENITO
-Playground Equipment



Product	Description
<p>JALU01</p> 	<p>Alu 1 The ALU collection maximises playability. Including lots of slides, bridges and dynamic elements, the ALU line encourages children to play, even those with disabilities. Its bright colours don't go unnoticed and the quality of materials guarantee high durability.</p> <p>Data Sheet JALU01 Acreditative Letter Certificate Conformity</p>
<p>JALU02</p> 	<p>Alu 2 The ALU collection maximises playability. Including lots of slides, bridges and dynamic elements, the ALU line encourages children to play, even those with disabilities. Its bright colours don't go unnoticed and the quality of materials guarantee high durability.</p> <p>Data Sheet JALU02 Certificate Conformity Acreditative Letter</p>
<p>JALU07</p> 	<p>Alu 7 The ALU collection maximises playability. Including lots of slides, bridges and dynamic elements, the ALU line encourages children to play, even those with disabilities. Its bright colours don't go unnoticed and the quality of materials guarantee high durability.</p> <p>Data Sheet JALU07 Certificate Conformity Acreditative Letter</p>
<p>JCR30</p> 	<p>Spinner With Net Structure, Metal: galvanised and powder-coated posts. Resistant to corrosion, wear and vandalism.</p> <p>Data Sheet Certificate Conformity</p>
<p>JFS17</p> 	<p>Paf Fun and educative spring swing for children. Made of resistant materials according to the EN1176 standard.</p> <p>Data Sheet Certificate</p>
<p>JJMM01</p> 	<p>Barco Designed by Javier Mariscal. Half-artist half-designer, his childlike strokes and Latin aesthetic combine perfectly with this kind of product.</p> <p>Data Sheet JJMM01 Certificate Certificate Conformity</p>
<p>JKSP20000</p> 	<p>Curvo Swings for children made of different materials such as wood and steel. Resistant to abrasion, corrosion and bad weather conditions.</p> <p>Data Sheet JKSP20000 Certificate Certificate Conformity</p>

Product	Description
<p data-bbox="172 159 268 185">JROK03</p> 	<p data-bbox="365 159 451 185">Roko 3</p> <p data-bbox="365 190 1485 358">Bouldering is a form of climbing that consists of climbing small walls, without the need for protective materials such as ropes or harnesses. With the ROKO modular elements we managed to turn this sport into a game and bring it to urban spaces. This line, characterised by its giant geometric shapes, is produced with high-quality materials that provide socialisation and climbing spaces for older children and teenagers. A game option with different levels of height to find different challenges depending on one's skills.</p> <p data-bbox="365 389 627 416">Data Sheet Certificate</p>
<p data-bbox="177 456 263 483">UM372</p> 	<p data-bbox="365 456 432 483">Kube</p> <p data-bbox="365 488 1485 573">KUBE designer Bench , total dimensions (length x height x depth) 2000 x 450 x 500 mm, made of rough, granite-gray precast concrete. It can be placed individually or in groups. It rests on a prepared surface under its own weight.</p> <p data-bbox="365 600 576 627">Data Sheet UM372</p>
<p data-bbox="172 725 268 752">VVP034</p> 	<p data-bbox="365 725 660 752">METALICA DE COLORES</p> <p data-bbox="365 757 1509 954">The Fence is composed of modular sections measuring 2,100 mm long and 1,200 mm high, constructed of iron with a tubular perimeter frame and interior vertical bars in alternating colors. All metal elements are treated with FERRUS, an anti-corrosion treatment using galvanization and subsequent thermosetting powder coating, ensuring strength and durability against the elements. The design is intended to delimit children's play areas, ensuring structural robustness and safe use. The construction and features comply with the requirements established in the UNE-EN 1176 standard for playground equipment and areas, ensuring regulatory compliance and safety for installation in public spaces.</p> <p data-bbox="365 958 975 985">Recommended anchoring: Recessed base +/- 300mm.</p> <p data-bbox="365 1012 722 1039">Data Sheet VVP034 Certificate</p>